

1. Approving National Aviation Authority/Country FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG			3. FORM TRACKING NUMBER RL-1107-51E		
4. ORGANIZATION NAME AND ADDRESS Lycoming Engines, 652 Oliver St., Williamsport, PA 17701				5. WORK ORDER, CONTRACT, OR INVOICE NUMBER: MS-422239			
6. ITEM	7. DESCRIPTION	8. PART NUMBER	9. ELIGIBILITY*	10. QTY.	11. SERIAL/BATCH NO.	12. STATUS/WORK	
1.1	Aircraft Engine	RENPL-RT8622	N/A	1	RL-1107-51E	SEE BLOCK 13	
13. REMARKS ENGINE MODEL: IO-360-A1B6 No Life Limited Parts Rebuilt to original PAH's specifications in accordance with 14CFR par. 43.3(j) Export Airworthiness Approval: This part meets the special requirements of United Kingdom Limited life parts must be accompanied by maintenance history including time/total cycles/time since new.							
14. Certifies the items identified above were manufactured in conformity to: _X_ Approved design data and are in condition for safe operation. _ Non-approved design data specified in Block 13. 19. <u>19</u> 14CFR 43.9 Return to Service <u> </u> Other regulation in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, Part 43. In respect to that work, the items are approved for return to service.							
15. Authorized Signature: 		16. Approval/Authorization No.: ODA830878-NE		20. Authorized Signature:		21. Approval/Cert No:	
17. Name (Typed or Printed): F. H. HILL JR		18. Date (m-d-y): DEC-19-2012		22. Name (Typed or Printed):		23. Date (m-d-y):	
USER/INSTALLER RESPONSIBILITIES							
It is important to understand that the existence of this Document alone, does not automatically constitute authority to install the part/component/assembly.							
Where the user/installer work in accordance with the national regulations of an Airworthiness Authority different than the Airworthiness Authority of the country specified in block 1, it is essential that the user/installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the Airworthiness Authority of the country specified in block 1.							
Statements in block 14 and 19 do not constitute installation certification. In all cases maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

1. Approving National Aviation Authority/Country FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG				3. FORM TRACKING NUMBER RL-1107-51E	
4. ORGANIZATION NAME AND ADDRESS Lycoming Engines, 652 Oliver St., Williamsport, PA 17701						5. WORK ORDER, CONTRACT, OR INVOICE NUMBER: MS-422239	
6. ITEM	7. DESCRIPTION	8. PART NUMBER	9. ELIGIBILITY*	10. QTY.	11. SERIAL/BATCH NO.	12. STATUS/WORK	
1.1	Aircraft Engine	RENPL-RT8622	N/A	1	RL-1107-51E	SEE BLOCK 13	
13. REMARKS ENGINE MODEL: IO-360-A1B6 No Life Limited Parts Rebuilt to original PAH's specifications in accordance with 14CFR par. 43.3(j) AIRWORTHINESS APPROVAL - ENGINE							
Limited life parts must be accompanied by maintenance history including time/total cycles/time since new.							
14. Certifies the items identified above were manufactured in conformity to: ____ Approved design data and are in condition for safe operation. ____ Non-approved design data specified in Block 13.		19. ____ 14CFR 43.9 Return to Service ____ X Other regulation in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, Part 43. In respect to that work, the items are approved for return to service.					
15. Authorized Signature:		16. Approval/Authorization No.:		20. Authorized Signature:		21. Approval/Cert No: LYC PC3	
17. Name (Typed or Printed):		18. Date (m-d-y):		22. Name (Typed or Printed): F. H. HILL JR		23. Date (m-d-y): DEC-19-2012	
USER/INSTALLER RESPONSIBILITIES							
It is important to understand that the existence of this Document alone, does not automatically constitute authority to install the part/component/assembly.							
Where the user/installer work in accordance with the national regulations of an Airworthiness Authority different than the Airworthiness Authority of the country specified in block 1, it is essential that the user/installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the Airworthiness Authority of the country specified in block 1.							
Statements in block 14 and 19 do not constitute installation certification. In all cases maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

Record of Accessories and Major Parts Shipped with EngineModel No: **IO-360-A1B6**Serial No: **RL-1107-51E**ENPL: **RENPL-RT8622**Order No: **AR555822**TC No: **1E10**Date: **Dec 17 2012**

Inspector:



All accessories listed are 0 (zero) time since New or 0 (zero) time since Overhaul. All accessories are new unless part number is succeeded by -85 or -70

<u>Part Name</u>	<u>Part Number</u>	<u>Manufacturer</u>	<u>Serial #</u>	<u>Setting</u>
Injector	61J26426	AVSTAR	AV102521	AV2524054-11
Magneto, Left	66GC15SFNN	SLICK	12100208	
Magneto, Right	66GP-0SANN	SLICK	12111283	
Ignition Harness L	67P20413	SLICK		
Ignition Harness R	67P20412	SLICK		
Crankcase Match No.	BB5212	Crankshaft Serial No.	AEH3835V53	
Spark Plug	1182-E7	Champion		
Fuel Pump	LW-15473	LYC	H3612	
Alternator Right	32C19553	Hartzell Eng	H-M101904	

LYCOMING

652 Oliver Street

Williamsport, PA 17701 U.S.A.

Airworthiness Directive Compliance List**Sign for AD's Coded 1 (Applicable to Engine Model)**Engine Model No: **IO-360-A1B6**Engine SN: **RL-1107-51E****Dec 17, 2012**

AD No. / Rev	SB / rev	Description /	Method of Compliance	Next Due	Code
71-05-02	327 / C	INSPECTION OF CENTER MAIN BEARING	NEW INSTALLED	N/A-Once	1
71-11-02	328	REPLACEMENT OF EXH & INT HYD TAPPET PLUNGERS	NEW P/N HYD TAPPETS INSTALLED	N/A-Once	1
73-23-01	367 / F	INSP FOR CRACKS IN PISTON PINS	INST NEW PARTS	N/A-Once	1
75-09-15	382	BENDIX FUEL INJ RS-43 INSP OF MOD OF FLOW DIVIDERS	NEW P/N GASKET INSTALLED	N/A-Once	1
78-23-10	428	BENDIX FUEL INJ. BULLETIN RS-42	NEW P/N INSTALLED	N/A-Once	1
79-04-05	433 / A	BENDIX FUEL INJ. BULLETIN RS-57	NEW P/N INSTALLED	N/A-Once	1
90-04-06 / R1	488 / A	PROPELLER GOVERNOR LINE SUPPORT	NEW LINE W/STEEL CON. NUTS INS	N/A-Once	1
92-12-05	501 / B	LW-14077 PISTON PIN	NEW PARTS INSTALLED	N/A-Once	1
94-06-09	517	INCOMPLETE INTERNAL GROUNDING ON MAG CAPACITORS	NEW CONF. CAPACITORS INSTALLED	N/A-Once	1
96-09-10	524	REPLACEMENT OF OIL PUMP IMPELLERS	STEEL IMPELLERS INSTALLED	N/A-Once	1
96-23-03	525 / A	HIGH PRESSURE FUEL PUMP INSTALLED LW-15473	NEWLY MANUFACTURED PUMPS INST.	N/A-Once	1
97-15-11	527 / C	RECALL OF PISTON PIN P/N LW-14077	NEW CONFIGURATION P/N INST.	N/A-Once	1
98-02-08	530 / B	INSPECTION OF CRANKSHAFT ID FOR CORROSION	MAG INSP./APPLY URETHABOND 104	N/A-Once	1
2004-10-14	475 / C	CRANKSHAFT GEAR MODIFICATION AND ASSY PROCEDURES	NEW P/N INSTALLED	N/A-Once	1
2005-19-11	566	Crankshaft replacement	Replace Crankshaft	N/A-Once	1
2006-06-16	566 sup 1	Replace crankshaft	Crankshaft replaced	N/A-Once	1
2009-02-03	581	Inspection of Precision Airmotive Hex Plug in regulator cover	New improved gasket P/N 2577258 installed	N/A-Once	1
2011-26-04	342 / F	FUEL LINE AND SUPPORT CLAMP INSPECTION & INSTALL.	NEW LINES INST. WITH NEW CLAMP	100 HOURS	1
2012-03-06	596	Avstar Fuel System fuel servo diaphragm	New configuration diaphragm installed	N/A-Once	1
2012-19-01	569 / A	CRANKSHAFT REPLACEMENT	REPLACE CRANKSHAFT	N/A-Once	1
64-16-05	298 / Inacti	AC FUEL PUMP OIL SEAL	NEW CONF. FUEL PUMP INSTALLED	N/A-Once	2
66-06-03	302 / A	REPLACEMENT OF CONNECTING ROD ASSY.	NEW ROD CONFIGURATION	N/A-Once	2
66-20-04	307	OIL FILTER ADAPTER GASKET	NEW CONF. GASKET INSTALLED	N/A-Once	2
67-22-06 / 4	305 / B	REPLACEMENT OF BENDIX FUEL DIAPHRAGM ASSY	NEW OR NEWLY O/H INSTALLED	N/A-Once	2
87-10-06 / R1	477 / A	INSPECTION AND REWORK OF LW-18790 ROCKER ARM ASSY	NEW CONFIGURATION P/N INST.	N/A-Once	2
95-26-02	398	ENGINES OPERATED WITH LOW OCTANE FUEL	ENGINE IS NEW OR HAS BEEN REBUILT AT MANUFACTURER	N/A-Once	2
2002-12-07	543 / B	OIL FILTER CONVERTER PLATE GASKET REPLACEMENT	NEW P/N CONVERTER PLATE INSTALLED	N/A-Once	2
2003-14-03	529 / B	ROTARY FUEL PUMP TORQUE.	NEW PUMP WITH "M" SUFFIX INSTALLED	N/A	2

Codes: 1 AD Applicable to Model

2 AD Not Applicable to Model

3 Field Compliance where applicable

1. Approving National Aviation Authority/Country FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG				3. FORM TRACKING NUMBER RL-13959-51E	
4. ORGANIZATION NAME AND ADDRESS PRODUCTION CERTIFICATE #3 Lycoming Engines, 652 Oliver St., Williamsport, PA 17701						5. WORK ORDER, CONTRACT, OR INVOICE NUMBER: MS-422344	
6. ITEM	7. DESCRIPTION	8. PART NUMBER	9. ELIGIBILITY *	10. QTY.	11. SERIAL/BATCH NO.	12. STATUS/WORK	
1.1	Aircraft Engine	RENPL-RT8622	N/A	1	RL-13959-51E	SEE BLOCK 13	
13. REMARKS ENGINE MODEL: IO-360-A1B6 No Life Limited Parts Rebuilt to original PAH's specifications in accordance with 14CFR par. 43.3(j) Export Airworthiness Approval: This part meets the special requirements of United Kingdom							
Limited life parts must be accompanied by maintenance history including time/total cycles/time since new.							
14. Certifies the items identified above were manufactured in conformity to: _X_ Approved design data and are in condition for safe operation. __ Non-approved design data specified in Block 13.		19. <u> </u> 14CFR 43.9 Return to Service <u> </u> Other regulation in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, Part 43. In respect to that work, the items are approved for return to service.					
15. Authorized Signature: <i>D. Mitchell</i>		16. Approval/Authorization No.: ODA830878-NE		20. Authorized Signature:		21. Approval/Cert No: 149238	
17. Name (Typed or Printed): D. MITCHELTREE		18. Date (m-d-y): DEC-21-2012		22. Name (Typed or Printed):		23. Date (m-d-y):	
USER/INSTALLER RESPONSIBILITIES							
It is important to understand that the existence of this Document alone, does not automatically constitute authority to install the part/component/assembly.							
Where the user/installer work in accordance with the national regulations of an Airworthiness Authority different than the Airworthiness Authority of the country specified in block 1, it is essential that the user/installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the Airworthiness Authority of the country specified in block 1.							
Statements in block 14 and 19 do not constitute installation certification. In all cases maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

1. Approving National Aviation Authority/Country FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG				3. FORM TRACKING NUMBER RL-13959-51E	
4. ORGANIZATION NAME AND ADDRESS Lycoming Engines, 652 Oliver St., Williamsport, PA 17701						5. WORK ORDER, CONTRACT, OR INVOICE NUMBER: MS-422344	
6. ITEM	7. DESCRIPTION	8. PART NUMBER	9. ELIGIBILITY *	10. QTY.	11. SERIAL/BATCH NO.	12. STATUS/WORK	
1.1	Aircraft Engine	RENPL-RT8622	N/A	1	RL-13959-51E	SEE BLOCK 13	
13. REMARKS ENGINE MODEL: IO-360-A1B6 No Life Limited Parts Rebuilt to original PAH's specifications in accordance with 14CFR par. 43.3(j) AIRWORTHINESS APPROVAL - ENGINE							
Limited life parts must be accompanied by maintenance history including time/total cycles/time since new.							
14. Certifies the items identified above were manufactured in conformity to: ___ Approved design data and are in condition for safe operation. ___ Non-approved design data specified in Block 13.		19. ___ 14CFR 43.9 Return to Service ___X___ Other regulation in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, Part 43. In respect to that work, the items are approved for return to service.					
15. Authorized Signature:		16. Approval/Authorization No.:	20. Authorized Signature: <i>D. Mitchell</i>		21. Approval/Cert No: LYC PC3		
17. Name (Typed or Printed):		18. Date (m-d-y):	22. Name (Typed or Printed): D. MITCHELTREE		23. Date (m-d-y): DEC-21-2012		
USER/INSTALLER RESPONSIBILITIES							
It is important to understand that the existence of this Document alone, does not automatically constitute authority to install the part/component/assembly.							
Where the user/installer work in accordance with the national regulations of an Airworthiness Authority different than the Airworthiness Authority of the country specified in block 1, it is essential that the user/installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the Airworthiness Authority of the country specified in block 1.							
Statements in block 14 and 19 do not constitute installation certification. In all cases maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

Record of Accessories and Major Parts Shipped with EngineModel No: **IO-360-A1B6**Serial No: **RL-13959-51E**ENPL: **RENPL-RT8622**Order No: **AR555823**TC No: **1E10**Date: **Dec 20 2012**

Inspector:

114

All accessories listed are 0 (zero) time since New or 0 (zero) time since Overhaul. All accessories are new unless part number is succeeded by -85 or -70

<u>Part Name</u>	<u>Part Number</u>	<u>Manufacturer</u>	<u>Serial #</u>	<u>Setting</u>
Injector	61J26426	AVSTAR	AV106751	AV2524054-11
Magneto, Left	66GC15SFNN	SLICK	12100206	
Magneto, Right	66GP-0SANN	SLICK	12111281	
Ignition Harness L	67P20413	SLICK		
Ignition Harness R	67P20412	SLICK		
Crankcase Match No.	BB0777	Crankshaft Serial No.	V537963236	
Spark Plug	1182-E7	Champion		
Fuel Pump	LW-15473	LYC	H4512	
Alternator Right	32C19553	Hartzell Eng	H-M101907	

LYCOMING

652 Oliver Street

Williamsport, PA 17701 U.S.A.

Airworthiness Directive Compliance List**Sign for AD's Coded 1 (Applicable to Engine Model)**Engine Model No: **IO-360-A1B6**Engine SN: **RL-13959-51E****Dec 20, 2012**

AD No. / Rev	SB / rev	Description /	Method of Compliance	Next Due	Code
71-05-02	327 / C	INSPECTION OF CENTER MAIN BEARING	NEW INSTALLED	N/A-Once	1
71-11-02	328	REPLACEMENT OF EXH & INT HYD TAPPET PLUNGERS	NEW P/N HYD TAPPETS INSTALLED	N/A-Once	1
73-23-01	367 / F	INSP FOR CRACKS IN PISTON PINS	INST NEW PARTS	N/A-Once	1
75-09-15	382	BENDIX FUEL INJ RS-43 INSP OF MOD OF FLOW DIVIDERS	NEW P/N GASKET INSTALLED	N/A-Once	1
78-23-10	428	BENDIX FUEL INJ. BULLETIN RS-42	NEW P/N INSTALLED	N/A-Once	1
79-04-05	433 / A	BENDIX FUEL INJ. BULLETIN RS-57	NEW P/N INSTALLED	N/A-Once	1
90-04-06 / R1	488 / A	PROPELLER GOVERNOR LINE SUPPORT	NEW LINE W/STEEL CON. NUTS INS	N/A-Once	1
92-12-05	501 / B	LW-14077 PISTON PIN	NEW PARTS INSTALLED	N/A-Once	1
94-06-09	517	INCOMPLETE INTERNAL GROUNDING ON MAG CAPACITORS	NEW CONF. CAPACITORS INSTALLED	N/A-Once	1
96-09-10	524	REPLACEMENT OF OIL PUMP IMPELLERS	STEEL IMPELLERS INSTALLED	N/A-Once	1
96-23-03	525 / A	HIGH PRESSURE FUEL PUMP INSTALLED LW-15473	NEWLY MANUFACTURED PUMPS INST.	N/A-Once	1
97-15-11	527 / C	RECALL OF PISTON PIN P/N LW-14077	NEW CONFIGURATION P/N INST.	N/A-Once	1
98-02-08	530 / B	INSPECTION OF CRANKSHAFT ID FOR CORROSION	MAG INSP./APPLY URETHABOND 104	N/A-Once	1
2004-10-14	475 / C	CRANKSHAFT GEAR MODIFICATION AND ASSY PROCEDURES	NEW P/N INSTALLED	N/A-Once	1
2005-19-11	566	Crankshaft replacement	Replace Crankshaft	N/A-Once	1
2006-06-16	566 sup 1	Replace crankshaft	Crankshaft replaced	N/A-Once	1
2009-02-03	581	Inspection of Precision Airmotive Hex Plug in regulator cover	New improved gasket P/N 2577258 installed	N/A-Once	1
2011-26-04	342 / F	FUEL LINE AND SUPPORT CLAMP INSPECTION & INSTALL.	NEW LINES INST. WITH NEW CLAMP	100 HOURS	1
2012-03-06	596	Avstar Fuel System fuel servo diaphragm	New configuration diaphragm installed	N/A-Once	1
2012-19-01	569 / A	CRANKSHAFT REPLACEMENT	REPLACE CRANKSHAFT	N/A-Once	1
64-16-05	298 / Inacti	AC FUEL PUMP OIL SEAL	NEW CONF. FUEL PUMP INSTALLED	N/A-Once	2
66-06-03	302 / A	REPLACEMENT OF CONNECTING ROD ASSY.	NEW ROD CONFIGURATION	N/A-Once	2
66-20-04	307	OIL FILTER ADAPTER GASKET	NEW CONF. GASKET INSTALLED	N/A-Once	2
67-22-06 / 4	305 / B	REPLACEMENT OF BENDIX FUEL DIAPHRAGM ASSY	NEW OR NEWLY O/H INSTALLED	N/A-Once	2
87-10-06 / R1	477 / A	INSPECTION AND REWORK OF LW-18790 ROCKER ARM ASSY	NEW CONFIGURATION P/N INST.	N/A-Once	2
95-26-02	398	ENGINES OPERATED WITH LOW OCTANE FUEL	ENGINE IS NEW OR HAS BEEN REBUILT AT MANUFACTURER	N/A-Once	2
2002-12-07	543 / B	OIL FILTER CONVERTER PLATE GASKET REPLACEMENT	NEW P/N CONVERTER PLATE INSTALLED	N/A-Once	2
2003-14-03	529 / B	ROTARY FUEL PUMP TORQUE.	NEW PUMP WITH "M" SUFFIX INSTALLED	N/A	2

Codes: 1 AD Applicable to Model

2 AD Not Applicable to Model

3 Field Compliance where applicable

Ref

1. Approving Competent Authority/Country Authorité compétente en matière d'agrément/Pays DIRECTION GENERALE DE L'AVIATION CIVILE FRANCE			2. AUTHORISED RELEASE CERTIFICATE Certificat Libérateur Autorisé EASA FORM 1 Formulaire 1 de l'EASA			3. Form Tracking Number N° de repère du Formulaire TA52310					
4. Organisation Name and Address : Nom et Adresse de l'Organisme : TECHNIC AVIATION Z.I. Saint Maurice -04100 MANOSQUE - FRANCE						5. Work Order / Contract / Invoice Bon de commande / Contrat / Facture 18/63266					
6. Item / Item		7. Description/ Description		8. Part No. / N° de pièce		9. Qty / Qté		10. Serial No./N° série		11. Status / Work /Etat / Travaux	
1		HARTZELL PROPELLER		HC-C2YK-2CUF/FC7666A-4		1		AU10550B		OVERHAULED	
12. Remarks OVERHAUL PERFORMED I.A.W. HARTZELL MANUAL 117D Rev16. UP TO DATE TO SB 61-379R1 CN EU-2014-0013R1 and AD FAA US-2013-15-04. BLADES REPLACEMENT : REMOVED S/N : F40113 (1) , AND F40100 (2) - INSTALLED S/N : L90785 (1), AND L90787 (2) TSN :00H00 PROPELLER SET UP FOR AIRCRAFT PARTENAVIA P68 OBSERVER. STATIC BALANCING PERFORMED. TSN :9252H TSO : 00H00.											
13a Certifies that the items identified above were manufactured in conformity to : Certifie que les éléments identifiés ci-dessus ont été fabriqués conformément aux : ☐ approved design data and are in a condition for safe operation données de conception approuvées et sont en état de fonctionner en toute sécurité ☐ non-approved design data specified in block 12 données de conception non approuvées spécifiées dans la case 12						14a. ☒ Part 145.A.50 Release to Service Approbation pour remise en service Selon Partie 145.A.50 Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12, was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service. Certifie que, sauf indication contraire spécifiée en case 12, les travaux identifiés en case 11 et décrits en case 12 ont été réalisés conformément à la partie 145 et qu'au vu de ces travaux, les pièces sont considérées prêtes à la remise en service. ☐ Other regulation specified in block 12 Autre réglementation précisée en case 12					
13b. Authorised Signature Signature autorisée		13c. Approval/Authorisation Number Numéro d'agrément/d'autorisation		14b. Authorised Signature Signature autorisée  Technician Certifying Staff PGE		14c. Certificate/Approval Ref. No N° du Certificat/Agrément FR.145.0167					
13d. Name/Nom		13e. Date (dd-mm-yyyy) /Date (jj-mm-aaaa)		14d. Name/Nom CHRISTOPHE PAGE		14e. Date (dd-mm-yyyy)/Date (jj-mm-aaaa) 22 Aug 2018					
USER/INSTALLER RESPONSIBILITIES / Responsabilités de l'utilisateur/installateur This certificate does not automatically constitute authority to install the item(s). Ce document ne constitue pas forcément l'autorisation d'installer l'item(s). Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1. Quand l'utilisateur/installateur travaille selon les réglementations d'une autorité de navigabilité différente de l'autorité de navigabilité mentionnée dans la case 1, il est essentiel que l'utilisateur/installateur s'assure que son autorité de navigabilité accepte les items libérés par l'autorité de navigabilité mentionnée dans la case 1. Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain the certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown. Les indications portées en cases 13a et 14a ne constituent pas une certification d'installation délivrée conformément aux règlements nationaux par l'utilisateur/installateur avant que l'aéronef puisse voler.											

CH

1. Approving Competent Authority / Country Autorité compétente en matière d'agrément / Pays DIRECTION GENERALE DE L'AVIATION CIVILE FRANCE			2. AUTHORISED RELEASE CERTIFICATE Certificat Libérateur Autorisé EASA FORM 1 Formulaire 1 de l'EASA			3. Form Tracking Number N° de repère du Formulaire TA52311		
4. Organisation Name and Address : Nom et Adresse de l'Organisme : TECHNICAL AVIATION Z.I. Saint Maurice -04100 MANOSQUE - FRANCE			5. Work Order / Contract / Invoice Bon de commande / Contrat / Facture 18/63265					
6. Item / Item	7. Description / Description	8. Part No. / N° de pièce	9. Qty / Qté	10. Serial No. / N° série	11. Status / Work / Etat / Travaux			
1	HARTZELL PROPELLER	HC-C2YK-2CUF/FC7666A-4	1	AU10553B	OVERHAULED			
12. Remarks OVERHAUL PERFORMED I.A.W. HARTZELL MANUAL 117D Rev16. UP TO DATE TO SB 61-379R1 CN EU-2014-0013R1 and AD FAA US-2013-15-04. BLADES REPLACEMENT : REMOVED SN : F43504 (1), AND F42494 (2), - INSTALLED SN : L90786 (1), AND L90784 (2), TSN : 00H00 PROPELLER SET UP FOR AIRCRAFT PARTENAVIA P68 OBSERVER. STATIC BALANCING PERFORMED. TSN : 9252H TSO : 00H00.								
13a. Certifies that the items identified above were manufactured in conformity to : Certifie que les éléments identifiés ci-dessus ont été fabriqués conformément aux : ☐ approved design data and are in a condition for safe operation ☐ données de conception approuvées et sont en état de fonctionner en toute sécurité ☐ non-approved design data specified in block 12 ☐ données de conception non approuvées spécifiées dans la case 12								
13b. Authorised Signature Signature autorisée		13c. Approval/Authorisation Number Numéro d'agrément/d'autorisation		14a. ☒ Part 145.A.50 Release to Service Approbation pour remise en service Selon Partie 145.A.50 Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12, was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service. Certifie que, sauf indication contraire spécifiée en case 12, les travaux identifiés en case 11 et décrits en case 12 ont été réalisés conformément à la partie 145 et qu'au vu de ces travaux, les pièces sont considérées prêtes à la remise en service.				
13d. Name / Nom CHRISTOPHE PAGE		13e. Date (dd-mm-yyyy) / Date (jj-mm-aaaa) 22 Aug 2018		14b. Authorised Signature Signature autorisée  14c. Certificate/Approval Ref. No N° du Certificat/Agrément FR.145.0167				
14e. Date (dd-mm-yyyy) / Date (jj-mm-aaaa) 22 Aug 2018								
USER/INSTALLER RESPONSIBILITIES / Responsabilités de l'utilisateur/installateur This certificate does not automatically constitute authority to install the item(s). Ce document ne constitue pas forcément l'autorisation d'installer l'item(s) Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1. Quand l'utilisateur/installateur travaille selon les réglementations d'une autorité de navigabilité différente de l'autorité de navigabilité mentionnée dans la case 1, il est essentiel que l'utilisateur/installateur s'assure que son autorité de navigabilité accepte les items libérés par l'autorité de navigabilité mentionnée dans la case 1. Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown. Les indications portées en cases 13a et 14a ne constituent pas une certification de montage. Dans tous les cas le dossier d'entretien de l'aéronef doit contenir une certification d'installation délivrée conformément aux règlements nationaux par l'utilisateur/installateur avant que l'aéronef puisse voler.								