

01

GUARD RAILS AND BOLLARDS

Guard Rails è un sistema di profili antiurto specifico per la protezione delle pareti dai carrelli in movimento. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Guard Rails is a new bumper system specific for the protection of the walls resistant against trolleys movements. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.

Guard Rails est un nouveau système bumper, spécifique pour protéger les murs contre les mouvements des charriots. Étudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.



Bollard è ideato per proteggere l'accesso a cancelli o portoni dalla movimentazione di mezzi pesanti o semplicemente per impedire l'ingresso di pedoni. Provvisto di accessori di fissaggio.

Bollard is designed to protect access to gates or big doors from huge traffic or simply to mark restricted areas for pedestrians. Fully equipped with fixing accessories.

Bollard est étudié pour protéger l'accès aux portes ou entrées de grand trafic ou simplement pour marquer les zones de passage piétons. Equipé avec les accessoires d'installation.



ROD 70



Guard Rails and Bollards



M20
GALVANISED STEEL

Fixing accessory available also in stainless steel




ROD 70 266

Packing
Colour

1 pz / box

M

Drill Ø 38
Equipped with accessories




ROD FLOOR 70



M16
GALVANISED STEEL




RESISTANT TO
LOW TEMPERATURES




RF 70 500
 1000
 1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories










RF 70 2000
 3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories







IMPACT RESISTANCE: 6936 J *
45° vehicle impact energy

* The unit data is proved by tests, stored in MPM, on excellent conditions goods. Such tests cannot take note of particular situations, installation or bad maintenance.

Rev. n°. 00	Data 15/06/2021	Modifica: Prima emissione			Firma riccardo.b	
 Via Europa 2, Fratte (PADOVA) Italy www.mppmpvc.com E-mail: info@mppmpvc.com Tel +39.049.9301773 Fax +39.049.9300427		Materiale		Q.tà		1° Controllo
		Scala 1:10	Denominazione RF 70			2° Controllo
				Nr. Disegno		

WITH EXPANSION SCREW




1

WALL


MIN 100mm*




2




3




4




5



6





* The distance of installation depends on speed and weight of vehicle